BeallsvilleOH 43716

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road TWP Hwy 88 Station Code:

Reported Date (Month Year):
October 2007

Application:

: 11/20/2

Sampling Station Description:

Final

in(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample Reporting Lab: Analyst: Tra-Det Inc. in(2) - Enter frequency of sampling (1)999 999 (2)1 (80082) (31616) (01330) (01350) (00530) (00610) CBOD 5 day Fecal Coliform #/100 ml Turbidity, Severity Units Total Suspended ogen, Ammonia (NH3) Severity Solids Units Day mg/1mg/10 0 01 02 0 0 1.5 150 0 0 0.22 03 AΑ 0 0 04 0 0 05 06 07 Ö 08 n 0 09 10 0 0 0 o 11 0 12 0 13 14 0 15 0 0 0 16 0 17 Ö 0 18 19 0 20 21 22 0 0 0 0 23 0 0 24 25 0 0 26 0 0 27 28 0 4.8 AA 0.24 29 Ö 0 30 31 0 0 TOTAL 150 0 0 0 0.46 6.3 150 0 0 0 0.23 AVG 3.15 4.8 150 0 0 0 0.24 MAX MIN 150 0 0.22

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date Report Completed: 11/20/2007

Signature of Reporter: Adam L. Hartley

Title of Reporter:

Environmental and Permit Coordin

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI Page 1 of